

15.12. Batumi MACDONALDS (GULF)

| №п/п | Наименование | Name | Technical description | Ед.измерения / Unit | Количество / Quantity | Стоимость за ед., \$ / Unit cost, \$ | Стоимость, \$ / Cost, \$ |
|--------------------------------------|----------------------------------|----------------------|--|---------------------|-----------------------|--------------------------------------|--------------------------|
| Building | | | | | | | |
| 1 | Фриз | Frieze | The frieze of the canopy consists of composite flat panels with a special color blue with gloss. H=1200 mm. Complete with a subsystem for attachment to building structures and hardware. | м2 | 11.52 | | 0.00 |
| 2 | Фриз | Frieze | The back wall of the frieze consists of flat panels of blue color. H=1200 mm. Installation on the balcony element. | м2 | 11.16 | | 0.00 |
| 3 | Подвесной потолок | Ceiling | Suspended ceiling made of galvanized steel 0.7mm thick consisting of: white panel 325 mm wide, RT docking profile, metal frame made of galvanized pipe and fittings, hardware. | м2 | 0.00 | | 0.00 |
| 4 | Объемная буква (знак) | 3D letter (sign) | Molded letters "Gulf Store" embedded in the frieze of the building (English) the front panel is made of 3mm acrylic. Internal LED illumination with LEDs (Cree LEDs). Set of 9 letters. | шт | 9.00 | | 0.00 |
| 5 | Объемная буква (знак) | 3D letter (sign) | Molded letters "Gulf Store" embedded in the frieze of the building (Georgian) the front panel is made of 3mm acrylic. Internal LED illumination with LEDs (Cree LEDs). Set of 9 letters. | шт | 9.00 | | 0.00 |
| 6 | Профиль | Profile | The profile of the junction of the frieze to the building in the upper part with a polymer coating (orange), h = 200mm | м2 | 2.00 | | 0.00 |
| 7 | Парапет | Parapet | Parapet 700 mm wide made of galvanized steel 0.5 mm thick. Without an internal metal frame. Fabrication at a construction site. | м2 | 14.70 | | 0.00 |
| 8 | Штроба с декоративной подсветкой | Mood lighting | Strobe with LED illumination for illumination of the frieze of the building. Made of trapezoidal plastic profile with LED lighting. | м | 9.60 | | 0.00 |
| Итого: | | | | | | | |
| 0.00 | | | | | | | |
| Facade | | | | | | | |
| 9 | Фриз | Frieze | The frieze of the canopy is made of rolled aluminum panels, with a polymer coating. h=900 mm. Complete with a subsystem for attaching to metal structures of the canopy and hardware. The possibility of service is provided. All hardware with an open mount is painted in the color of the panels. | м2 | 45.30 | | 0.00 |
| 10 | Фриз | Frieze | Frieze made of flat steel sheet 0.9mm thick, with polymer coating. Complete with a subsystem for attaching to metal structures of the canopy and hardware. It is installed on the back side of the canopy. | м2 | 13.68 | | 0.00 |
| 11 | Угловой элемент фриза | Frieze | Canopy frieze corner, 900mm high, made of molded blue plastic. Substructures are made of galvanized steel profiles. Mounting system without hardware and fasteners on the front surface. | шт | 4.00 | | 0.00 |
| 12 | Объемная буква (знак) | 3D letter (sign) | Molded inset letters "Gulf" (English) with a front surface of 3mm thick acrylic glass. Internal LED backlight. (1 set of letters of 4 pieces) | шт | 4.00 | | 0.00 |
| 13 | Объемная буква (знак) | 3D letter (sign) | Molded inset letters "Gulf" (Georgian) with a 3 mm thick acrylic glass front surface. Internal LED backlight. (2 sets of letters of 5 pieces each) | шт | 10.00 | | 0.00 |
| 14 | Штроба с декоративной подсветкой | Mood lighting | Profile with LED illumination in compound filling, it is made of extruded aluminum with a polymer coating, on brackets in the composition with an extruded plastic light profile. It includes front and back lighting. Designed to organize the illumination of the frieze around the perimeter of the canopy. Complete with hardware. | мп | 51.00 | | 0.00 |
| 15 | Подвесной потолок | Ceiling | Suspended ceiling made of galvanized steel 0.7mm thick consisting of: white panel 325 mm wide, RT docking profile, metal frame made of galvanized pipe and fittings, hardware. | м2 | 253.00 | | 0.00 |
| 16 | Светильник | LED lighting | The LED lamp is built into the suspended ceiling. Rectangular. For external use. The degree of protection is IP65. The body is cast aluminum. The luminous flux is 10000lm, the color temperature is 5000K. Power consumption - no more than 100 watts. Operating temperature - 30...+50. Easy removable design for maintenance and replacement. | шт | 12.00 | | 0.00 |
| 17 | Парапет | Parapet | The parapet is made of galvanized steel 0.5 mm thick, with locks. Without an internal metal frame. Made on the construction site. | м2 | 58.60 | | 0.00 |
| 18 | Профиль | Profile | Transition profile of the frieze abutting to the canopy ceiling h = 0.3 m with polymer coating (white). | м2 | 18.90 | | 0.00 |
| 19 | Обшивка опоры навеса | Pillar cladding | Covering of the canopy support of trapezoidal section, made of galvanized steel with polymer coating. Complete with a subsystem for attaching the skin to the metal frame of the canopy. The height of the supports is determined by the height of the canopy, the sweep depends on the size of the core of the support. Height 5.5m - 4pc | м2 | 85.80 | | 0.00 |
| 20 | Конструкция информационная | Information box | The information canister double-sided box. The box plates are made of molded plastic with a seal or applique, complete with a metal frame. With internal illumination by LEDs along the contour. | шт | 2.00 | | 0.00 |
| 21 | Стена | Totem | "The price steele is 9500 mm for 5 types of fuel Two-string. Single-support. The panels of the steele under the logo are made of 1.8 mm thick aluminum with a polymer coating. The sign "GULF" is a light molded invoice. It consists of white-milk acrylic glass with UV-printing. The internal LED-illumination is made by white light-emitting diodes, the counter-illumination is made by blue LEDs. The advertising panel is made of aluminum with a polymer coating with an internal LED backlight. The price panel is made of tempered FLAT glass with a thickness of 4 mm. The price lines are made in a polymer-coated housing, illuminated with white LEDs. The types of fuel are made in the form of a replaceable plate made of silicate tempered glass with an application. The illumination of the plates is made by white-glow LEDs. The side light profile is made of bent plastic with yellow-glow LEDs. Support for the steele: welded metal frame, round section. The frame elements undergo shot blasting, striping, followed by depressing of the surface, and additional treatment of the welds with an anticorrosive primer containing zinc. Anticorrosive protection of structures is carried out by applying a zinc-containing epoxy primer, with a layer thickness of 75-150 microns and a two-layer polyurethane enamel. The steele is equipped with an IR remote control of price lines. With a mortgage." | шт | 1.00 | | 0.00 |
| 22 | Дуга безопасности | Protective arc steel | Protective arc for installation in front of on the safety islands. | шт | 4.00 | | 0.00 |
| 23 | Урна | Trash bin | Combined service unit on a fuel platform made of polymer coated steel. Includes a towel holder, a washing station for washing glasses, a box for gloves and a garbage container. | шт | 2.00 | | 0.00 |
| Cost of materials without VAT | | | | | | | 0.00 |
| Transportation without VAT | | | | | | | 0.00 |
| Installation without VAT | | | | | | | 0.00 |
| Total without VAT | | | | | | | 0.00 |