




Project condition:  
 Panel dimension: 2384\*1096\*35 mm  
 Tilt angle: 30°  
 Max wind speed: 400pa  
 Snow load : 45mm  
 Clearance distance: 900 mm  
 Layout: 2\*N(N : The panel string )  
 Material: Q235B

When  $N=3\text{times}+1$   
 such as  $40=3*13+1$


NO.	ITEM NO.	SPEC.	QTY. (PCS)
01	UI-C60*40*2	3560mm	4
02	UI-C60*40*2	3360mm	$4*(N-7)/3$
03	UI-C60*40*2	4440mm	4
04	UI-C60-SP	200mm	$4*(N-4)/3$
05	UI-SP-B3850	C80*40*2 3850mm	$(N+2)/3$
06	UI-SP1-2670	C100*50*3 2670mm	$(N+2)/3$
07	UI-SP2-3874	C100*50*3 3874mm	$(N+2)/3$
08	UI-M12-35	外M12*35mm	$2*(N+2)/3$
09	UI-IC35-ST2	L50	$4*(N-1)$
10	UI-EC35-ST2	L50	8
11	Purlin Support	2-(内)M10*30mm	$4*(N+2)/3$



工事名称 PROJECT TITLE: Customized ST2 Ground Mounting			
<b>UISOLAR</b> universe energy		作成者 DRAWN: Wang 確認者 CHKD: 承認者 APRD: 日期 DATE: 2023/03/01	REV. 0 SCALE= DRAWING No. UI-230117-042-01



NO.	ITEM NO.	SPEC.	QTY. (PCS)
01	UI-C60*40*2	3560mm	4
02	UI-C60*40*2	3360mm	4*(N-5)/3
03	UI-C60*40*2	2440mm	4
04	UI-C60-SP	200mm	4*(N-2)/3
05	UI-SP-B3850	C80*40*2 3850mm	(N+4)/3
06	UI-SP1-2670	C100*50*3 2670mm	(N+4)/3
07	UI-SP2-3874	C100*50*3 3874mm	(N+4)/3
08	UI-M12-35	外M12*35mm	2*(N+4)/3
09	UI-IC35-ST2	L50	4*(N-1)
10	UI-EC35-ST2	L50	8
11	Purlin Support	2-(内)M10*30mm	4*(N+4)/3



Project condition:  
 Panel dimension: 2384\*1096\*35 mm  
 Tilt angle: 30°  
 Max wind speed: 400pa  
 Snow load : 45mm  
 Clearance distance: 900 mm  
 Layout: 2\*N(N : The panel string )  
 Material: Q235B

When N=3times +2  
 such as 20=3\*6+2

工事名称 PROJECT TITLE: Customized ST2 Ground Mounting			
<b>UISOLAR</b> universe energy		作成者 DRAWN: Wang 確認者 CHKD: 承認者 APRD: 日期 DATE: 2023/03/01	REV. 0 SCALE= DRAWING No. UI-230117-042-01